

**SAMAGRA SHIKSHA SECONDARY,
MANIPUR
STATE IMPLEMENTATION SOCIETY,
MANIPUR**

Bid Document for
Supply & installation of

*Furniture Items for Hr. Secondary, Secondary &
Elementary Schools
for the Financial Year 2022-23*

Price Rs. 10,000/-

**SAMAGRA SHIKSHA SECONDARY,
STATE IMPLEMENTATION SOCIETY, MANIPUR**

Bid Document For
Supply of Furniture Items for Hr. Secondary, Secondary & Elementary Schools

Document Issue Details

S.No.

Date:

Issued to :

M/S

.....

.....

DD/BC/Pay-Order/CR No.....

Amount Rs. 10,000/-

No.

Date

Through :

Hand Delivery / Speed Post / Courier / Other

Signature of Issuing Authority

INDEX

Chapter No.	Details	Page No.
1.	Introduction & General definitions	4-6
2.	Notice for Invitation of Bids	7
3.	Eligibility Criteria	8-9
4.	Scope of Work & Technical Specification	10-14
5.	General Terms and Conditions	15-23
6.	Technical Bid Proforma	24-26
7.	Financial Bid Proforma	27

Chapter-1
Introduction & General definitions
Introduction

The Samagra Shiksha, Manipur, represented by the State Project Director, Samagra Shiksha, Manipur (hereinafter referred to as "State Project Director"), wishes to receive bids from the registered Supplier / manufactures/ Distributors for Supply Furniture Items for **Hr. Secondary, Secondary & Elementary Schools** in Manipur state of prescribed specifications. The quantity & specifications to be installed by the successful bidders are given in chapter- IV of this bid document.

1. DEFINITIONS

In the Contract (as defined below) the words and expressions defined below shall have the meanings assigned to them, except where the context requires otherwise:

- I. **"Annexure to Bid"** means the complete appendices comprised in the bid, wherever the term "Annexure to Bid" is used, this shall mean "Annexure to Technical Proposal" and/or "Annexure to financial Proposal", as may be appropriate.
- II. **"Arbitrator"** means the person or persons named as such in the Contract, or other person or persons appointed from time to time by the Govt. of Manipur, under Arbitration Act 1996.
- III. **"Furniture Items"** means Furniture Items & its components of given specifications.
- IV. **"Bid"** means the offer of the bidder to the State Project Director for the supplies.
- V. **"Bidder/ supplier"** means an individual, a firm, an association of persons or body or individuals or firms or a company incorporated under the Indian law that undertakes to supply & installation of Solar Panel.
- VI. **"Bidders Proposal"** means the preliminary proposal submitted with the bid.
- VII. **"SPO"** means State Project Office, Babupara of Samagra Shiksha, Manipur.
- VIII. **"Contract"** means the Conditions of Contract, the State Project Director's Requirements, the Bid, the suppliers Proposal, the Schedules, the Letter of Acceptance, the Contract Agreement or Contract Agreements and such further documents as may be expressly incorporated in the Letter of Acceptance or Contract Agreement.
- IX. **"Contract Agreement"** means the contract agreement (if any).
- X. **"Contract Price"** means the sum stated in the Letter of Acceptance as payable to the supplier for the supply & installation of solar panel of given specification in accordance with the provisions of the Contract.

- XI. “**Contract Period**” means the period from the date of supply order to the date of complete supply & installation of the said solar panel as per specifications.
- XII. “**Day**” means a calendar day.
- XIII. “**State Project Director**” means State Project Director, Samagra Shiksha, Manipur.
- XIV. “**State Project Director’s Representative**” means the person or persons appointed by the State Project Director to act as State Project Director’s Representative for the purposes of the Contract or other person appointed from time to time by the State Project Director and notified as such to the supplier.
- XV. “**SSA**” means Samagra Shiksha, Manipur.
- XVI. “**EMD**” means Earnest Money Deposit
- XVII. “**GOM/Government**” means Government of Manipur.
- XVIII. “**Letter of Acceptance**” means the formal acceptance of the bid by the State Project Director.
- XIX. “**Local Currency**” means the currency of India.
- XXI. “**Purchaser**” means State Project Director, Samagra Shiksha, Manipur or its authorized representatives.
- XX. “**Scope of Work**” means the description of the scope, standard, and program or work, as included in the Contract, and any alterations and modifications thereto in accordance with the Contract.
- XXI. “**S.D.**” means Security Deposit.
- XXII. “**Supplier**” means the person whose bid has been accepted by the SPD and the legal successors in title to such person, but not (except with the consent of the State Project Director) any assignee of such person.
- XXIII. “**Supplier’s Representative**” means the person (if any) named as such in the Contract or other person appointed from time to time by the supplier & notified as such to the State Project Director.
- XXIV. “**TEC**” means Tender Evaluation Committee or Purchase Committee.
- XXV. “**Variation**” means any alteration and/or modification to the State Project Director’s Requirements, which is instructed by the State Project Director or his Representative.
- XXVI. “**Year**” means 365 days.

2. Interpretation

Words indicating persons or parties shall include firms and corporations and any organization having legal capacity. Words indicating the singular also include the plural and vice versa where the context requires. Words indicating one gender also include other gender.

3. Contract Agreement

Either party shall, if requested by the other party, execute a Contract Agreement or Contract Agreements, as such modifications as may be necessary to record the Contract. The costs of stamp duties and similar charges imposed by law shall be borne by the bidder/ supplier.

The successful bidder will be required to enter into separate agreements, or any number of agreements as decided by the State Project Director.

4. Documents at Site

The supplier shall keep, at his registered office, one complete set of the documents forming the contract, the documents, variations, other communications given or issued from time to time and all other relevant records. The State Project Director, the State Project Director's representative shall have the right to use such documents at all reasonable times.

5. Communications

Wherever provision is made for the giving or issuing of any notice, instruction, consent, approval, certificate or determination by any person, unless otherwise specified, such communication shall be in writing. Wherever provision is made for a communication to be "written" or "in writing", this means any hand-written, type-written or printed communication, including the agreed system of electronic transmission.

All certificates, notices or written orders to be given to the supplier, by the State Project Director or his representative, and all notices to be given to the supplier or to Representative by the supplier, shall either be delivered by hand against written acknowledgement of receipt, or to be sent by airmail or mail or part of the agreed systems of electronic transmission. The addresses for the receipt of such communications shall be as stated in the bid.

6. Compliance with Statutes, Regulations and Law

The Supplier shall, in all matters arising in the performance of the contract, comply with, give all notices under, and pay all fees required by, the provisions of any national statute, ordinance or other law, or any regulation of any legally constituted public authority having jurisdiction over the system. The supplier shall obtain all permits, licenses or approvals required for any part of the contract, in reasonable time taking account of the times for installation of the solar panel at school and for completion of the contract. The supplier shall comply with the laws of the country.

Chapter-2
State Project Director, Samagra Shiksha, Manipur

No. : 2-1/SPD/SS-S/2021/06

Date: 15/7/2022

**THE NOTICE FOR INVITING TENDERS FOR SUPPLY of Furniture Items AT THE Hr.
Secondary, Secondary & Elementary Schools UNDER SAMAGRA SHIKSHA,
MANIPUR.**

Samagra Shiksha, Manipur has decided to install the Furniture Items at **Hr. Secondary, Secondary & Elementary Schools** in the State. These are to be supplied & installed as per the prescribed specification and as per delivery/completion schedule order.

The State Project Director, State Implementation Society, Samagra Shiksha , Manipur invites bid in two cover system (Technical bid & Financial bid) from the registered Firms /Supplier/contractor on behalf of the Chairman, Executive Committee, Samagra Shiksha , Manipur

The schedule of bid activities is as under:

Sl. No.	Particulars	Date	Time
01	Commencement of sale of bid document	18/7/2022	11.00 A.M.
02	Closure for sale and submission of complete document.	12/8/2022	2.00 P.M
03	Opening of technical bids	19/8/2022	2:00 P.M.
04	Opening of financial bids	19/8/2022	05.00 P.M.

All the bidding activities shall take place in the Office of the State Project Director, Samagra Shiksha, Manipur.

The bid document may be obtained from the Office of the State Implementation Society, Samagra Shiksha, Manipur on submission of Demand Draft/ Bankers Cheque/Cash of Rs. 10,000/-(Rupees ten thousand) only in favour of "State Project Director, Samagra Shiksha, Manipur" payable at Imphal. The bid document may be downloaded www.manipureducation.gov.in. Such bidders have to deposit the price of the bid amounting to Rs. 10,000/-(Rupees ten thousand) only to the State Project Director, Samagra Shiksha, Manipur, before submission of the bid otherwise their bids would not be considered.

Fully sealed bids, with an Earnest Money Deposit of Rs. 25,66,032/- (Rupees twenty five lakhs sixty six thousand and thirty two) only should reach to the State Project Director as mentioned above at S.N. 3 of schedule of bid activities.

Sd/-
State Project Director
Samagra Shiksha,
State Implementation Society, Manipur

Chapter-3

ELIGIBILITY CRITERIA

Eligibility Criteria:

1. The Bidder must be an Authorised Dealer/ Supplier/ Manufacturer/contractor registered with competent central or state government authority and capable of supply & commissioning of Furniture Items for **Hr. Secondary, Secondary & Elementary Schools** under Samagra Shiksha, Manipur. The bidder, anywhere in India, declared blacklisted or debarred by any competent authority, shall not be allowed to participate in bid process.
2. The bidder should have annual minimum turnover of at least 60% of contract value, during one of the last three financial years i.e 2019-20, 2020-21 & 2021-22.
3. The bidder should have positive net worth as on 31st March, 2022.
4. Any change in the constitution e.g. firm name/ supplier name/ dealer name, etc. shall be notified forthwith by the supplier in writing to State Project Director and such change shall not relieve any former member of the company, etc. from any liability under the contract.
5. The technical bids will be evaluated by TEC/Purchase Committee on the basis of eligibility criteria given in this chapter. The bidders who fulfill **all the criteria** shall be qualified technically and financial bids of only technically qualified firms will be opened. The technical scrutiny shall be done on the basis of documents/ work order/client's certificate etc., submitted by the bidder with the bid document.
6. The committee will assess the technical proposal on the criteria prescribed under bid document as detail below:

SL.NO	CRITERION	POINTS ALLOTTED
1	Turnover of at least 60% of contract value during one of the last 3 (three) Financial Year	20
2	Experience in supply of similar item in the state	10
3	Positive Net worth as on 31 st March, 2022	10
4	Preferential to local firm.	10
Total		50

7. Agency/Firm has to secure a minimum of 80% of the total allotted points in order to qualify its technical bid.

8. The Financial Bid will remain unopened, at the time of opening of technical bids and will be held in the custody of State Project Director until the time of bid opening of the price proposals. Financial bids of those bidders, who qualify in technical bid, will be opened in presence of the representatives of the technically qualified firms. The demand draft for EMD shall be attached with Technical bid i.e. in Envelop "A" failing which bid shall be rejected.
9. Right to reject any or all Bids without assigning any reason thereof is reserved with the State Project Director.
10. Selection of the supplier: The weightage of the Technical and Financial bid will be 50% each for selection of the supplier.

(Attested copies of documents proving the above criteria should be submitted in Envelop No. A. Technical Bid without the required Earnest Money shall not be entertained and financial bid of such Bidders shall not be opened.)

Chapter-4
Scope of Work

Samagra Shiksha, Manipur, represented by the State Project Director, wishes to receive bids from the registered Supplier for supply of Furniture Items at **Hr. Secondary, Secondary & Elementary Schools**. Detail specifications are given below:

Furniture Items Specification for Elementary Schools:

Additional Classroom (ACR) Elementary

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of furniture required for Classrooms
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	12	1	31	372
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	12	1	31	372
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	31	31

4	Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	1	1	31	31
5	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	1	1	31	31
6	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	1	1	31	31
7	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	1	1	31	31

Buildingless Primary School Furniture

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of furniture required for Classrooms
1	Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	50	1	14	700

2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	50	1	14	700
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	5	1	14	70
4	<p>Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	5	1	14	70
5	<p>Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.</p>	10	1	14	140
6	<p>Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves</p>	2	1	14	28
7	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	4	1	14	56

Dilapidated Primary School Furniture

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of furniture required for Classrooms
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	50	1	18	900
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	50	1	18	900
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	5	1	18	90
4	<p>Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	5	1	18	90
5	<p>Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.</p>	1	1	18	18
6	<p>Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves</p>	2	1	18	36

7	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	5	1	18	90
---	---	---	---	----	----

Dilapidated Upper Primary School Furniture

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	44	1	16	704
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	44	1	16	704
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	3	1	16	48

4	Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	3	1	16	48
5	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	3	1	16	48
6	Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves	3	1	16	48
7	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	3	1	16	48

New Primary School Furniture

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	50	1	6	300

2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	50	1	6	300
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	5	1	6	30
4	<p>Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	5	1	6	30
5	<p>Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.</p>	1	1	6	6
6	<p>Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves</p>	2	1	6	12
7	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	5	1	6	30

Upgradation to Primary to Upper Primary School Furniture

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	52	1	10	520
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	52	1	10	520
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	3	1	10	30
4	<p>Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	3	1	10	30
5	<p>Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.</p>	3	1	10	30
6	<p>Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves</p>	3	1	10	30

7	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	3	1	10	30
---	---	---	---	----	----

100 bedded Hostel Building (Netaii Subhash Chandra Bose Avasiya Vidyalaya Non Recurring (New))

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture	Total No. of Hostel	Total No. of required furniture
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	20	2	40
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	20	2	40
3	<p>Warden & Office Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	10	2	20
4	<p>Warden & Office chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new</p>	10	2	20

	work.			
5	Wooden Bed: Dimension of Desk: 4 x 6.5 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	60	2	120
6	Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves	30	2	60
7	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	2	2	4
8	Dining Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	10	2	20
9	Dining Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	10	2	20
10	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	10	2	20
11	Steel Bucket Medium	57	2	114

Furniture Items Specification for Hr. Secondary and Secondary Schools:

Higher Secondary School Arts / Commerce					
Classroom Furniture (ACR)					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	40	1	4	160
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	40	1	4	160
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	4	1	4	16
4	<p>Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	4	1	4	16

5	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	9	1	4	36
6	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	6	1	4	24
7	Steel Bucket Medium	8	1	4	32
8	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	5	1	4	20
(II)	Library Room				
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Library Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	15	1	4	60
2	Library Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	15	1	4	60

3	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	3	1	4	12
Total					132
(i) Computer Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	<p>Computer Table Dimension of Table: 3'9" x 1'6" x 2' Material: Table should be made from the 'A' Grade quality Uningthou wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Detailed Size / Dimension are shown in Drawing.</p>	10	1	4	40
2	<p>Computer Chair Dimension of Chair: 1'5"x 1'5"x 1'5" Material: Chair should be made from the 'A' Grade quality Uningthou wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Detailed Size / Dimension are shown in Drawing.</p>	10	1	4	40
3	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated</p>	2	1	4	8

	with high pressure laminate that helps to write effortlessly and clean comfortably.				
Total					88
Head Master Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Class Room (Nos.)	No. of Room for 1(one) School	Total No. of School	Total Furniture Required
1	<p>Head Master Officer Table Dimension of Table : 2'5" x 4' x 5" with drawer on one side. Material: Table should be made from the A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	4	4
2	<p>Head Master Revolving Chair Law Back Art Leather Executive Chair with Arms. Having 5-Pronged P.P Base and Hydraulic Gaslift Height Adjustment. Upholstery in Black Art Leather.</p>	1	1	4	4
3	<p>Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves</p>	1	1	4	4
Art and Craft Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Class Room (Nos.)	No. of Room for 1(one) School	Total No. of School	Total Furniture Required
1	<p>Art/Craft Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	4	1	4	16

2	Art/Craft Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	4	1	4	16
---	--	---	---	---	----

Higher Secondary School Science					
Classroom Furniture (ACR)					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	40	1	4	160
2	Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	40	1	4	160
3	Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	4	1	4	16

4	Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	4	1	4	16
5	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	4	1	4	16
6	Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves	4	1	4	16
7	Steel Bucket Medium	8	1	4	32
8	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	4	1	4	16
(II)	Library Room				
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Library Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	10	1	4	40

2	<p>Library Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	10	1	4	40
3	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	4	1	4	16
Total					
Staff Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Office Room (Nos.)	No. of Rooms	No. of School	Total Required
1	<p>School office Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	4	1	4	16

2	<p>School office chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	8	1	4	32
3	Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves	2	1	4	8
Physic Lab Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one Physics Lab Room	No. of Room	Total No. of Schools	Total No. of required for Physics Lab Room
1	<p>Laboratory Room Desk: Dimension of Desk: 2.6 x 6 x 2 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	8	1	4	32
2	<p>Laboratory Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	8	1	4	32

3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	4	4
4	<p>Teacher's chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	4	4
5	Steel Bucket Medium	4	1	4	16
6	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated. This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	1	1	4	4
Chemistry Lab Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one Chemistry Lab Room	No. of Room	Total No. of Schools	Total No. of required for Chemistry Lab Room

1	<p>Laboratory Room Desk: Dimension of Desk: 2.6 x 6 x 2 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	8	1	4	32
2	<p>Laboratory Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	8	1	4	32
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	4	4
4	<p>Teacher's chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	4	4
5	Steel Bucket Medium	4	1	4	16

6	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated. This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	1	1	4	4
Biology Lab Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one Biology Lab Room	No. of Room	Total No. of Schools	Total No. of required for Biology Lab Room
1	<p>Laboratory Room Desk: Dimension of Desk: 2.6 x 6 x 2 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	8	1	4	32
2	<p>Laboratory Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	8	1	4	32
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	4	4

4	Teacher's chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	1	1	4	4
5	Steel Bucket Medium	4	1	4	16
6	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated. This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	1	1	4	4
Principal Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Class Room (Nos.)	No. of Room for 1(one) School	Total No. of School	Total Furniture Required
1	Head Master Officer Table Dimension of Table : 2'5" x 4' x 5" with drawer on one side. Material: Table should be made from the A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	1	1	4	4
2	Head Master Revolving Chair Law Back Art Leather Executive Chair with Arms. Having 5-Pronged P.P Base and Hydraulic Gaslift Height Adjustment. Upholstery in Black Art Leather.	1	1	4	4

3	Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves	1	1	4	4
---	---	---	---	---	---

Upgradation Jr. High School to High School (2 Section)					
Classroom Furniture (ACR)					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	120	1	4	480
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	120	1	4	480
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	16	1	4	64

4	Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	8	1	4	32
5	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	40	1	4	160
6	Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves	24	1	4	96
7	Steel Bucket Medium	8	1	4	32
8	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	24	1	4	96
(II)	Library Room				
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Library Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	15	1	4	60

2	<p>Library Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	15	1	4	60
3	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	2	1	4	8
Total					
(i) Computer Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	<p>Computer Table Dimension of Table: 3'9" x 1'6" x 2' Material: Table should be made from the 'A' Grade quality Uningthou wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Detailed Size / Dimension are shown in Drawing.</p>	20	1	3	60

2	Computer Chair Dimension of Chair: 1'5"x 1'5"x 1'5" Material: Chair should be made from the 'A' Grade quality Uningthou wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Detailed Size / Dimension are shown in Drawing.	20	1	3	60
3	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	4	1	3	12
Total					

Head Master Room

Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Class Room (Nos.)	No. of Room for 1(one) School	Total No. of School	Total Furniture Required
1	Head Master Officer Table Dimension of Table : 2'5" x 4' x 5" with drawer on one side. Material: Table should be made from the A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	5	1	3	15
2	Head Master Revolving Chair Law Back Art Leather Executive Chair with Arms. Having 5-Pronged P.P Base and Hydraulic Gaslift Height Adjustment. Upholstery in Black Art Leather.	5	1	3	15
3	Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves	4	1	3	12

Art and Craft Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Class Room (Nos.)	No. of Room for 1(one) School	Total No. of School	Total Furniture Required
1	<p>Art/Craft Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	12	1	4	48
2	<p>Art/Craft Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	12	1	4	48
Science Lab Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one Science Lab Room	No. of Room	Total No. of Schools	Total No. of required for Science Lab Room
1	<p>Laboratory Room Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	10	1	4	40

2	<p>Laboratory Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	10	1	4	40
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	2	1	4	8
4	<p>Teacher's chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	2	1	4	8
5	<p>Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves</p>	4	1	4	16
6	<p>Steel Bucket Medium</p>	10	1	4	40
7	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	2	1	4	8

Office Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Office Room (Nos.)	No. of Rooms	No. of School	Total Required
1	<p>School office Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	4	1	4	16
2	<p>School office chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	4	1	4	16
3	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	2	1	4	8

ACR					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	<p>Students' Wooden Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	15	1	31	465

	Book shelf of 8 inch spacing at the desk and 12 inch breath.				
2	<p>Students' Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	15	1	31	465
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	31	31
4	<p>Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	31	31
5	<p>Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.</p>	3	1	31	93
6	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	1	1	31	31
7	Steel Bucket Medium	1	1	31	31
8	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth</p>	1	1	31	31

	writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.				
--	---	--	--	--	--

Art and Craft Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity for 1 (one) Room (Nos.)	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Art/Craft Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	13	1	14	182
2	Art/Craft Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	13	1	14	182
3	Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	1	1	14	14
4	Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	1	1	14	14
5	White Board, 5 Duster & Marker pen (one	1	1	14	14

	Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.				
6	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	1	1	14	14
7	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	2	1	14	28
8	Extension Code	1	1	14	14

Library Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Library Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.	19	1	21	399
2	Library Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	19	1	21	399
3	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning.	5	1	21	105

	High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.				
4	Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	1	1	21	21
5	Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	1	1	21	21
6	Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.	10	1	21	210
7	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	2	1	21	42

Computer Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one classroom	No. of Room	Total No. of Schools	Total No. of required for Classrooms
1	Computer Table Dimension of Table: 3'9" x 1'6" x 2' Material: Table should be made from the 'A' Grade quality Uningthou wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Detailed Size / Dimension are shown in Drawing.	10	1	11	110
2	Computer Chair Dimension of Chair: 1'5"x 1'5"x 1'5" Material: Chair should be made from the 'A' Grade quality Uningthou wood.	10	1	11	110

	<p>Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work.</p> <p>Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Detailed Size / Dimension are shown in Drawing.</p>				
3	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.</p>	1	1	11	11
4	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	11	11
5	<p>Teacher's chair Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	11	11
6	<p>Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves</p>	1	1	11	11
7	<p>Dust Bin: Dimension: 1.6 x 2 x 1 ft., Material: Dust Bin made from the finest quality Uningthou wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work.</p>	1	1	11	11

Science Lab Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one Science Lab Room	No. of Room	Total No. of Schools	Total No. of required for Science Lab Room
1	<p>Laboratory Room Desk: Dimension of Desk: 2.6 x 6 x 1.4 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work. Book shelf of 8 inch spacing at the desk and 12 inch breath.</p>	15	1	14	210
2	<p>Laboratory Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	15	1	14	210
3	<p>Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	14	14
4	<p>Teacher's chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.</p>	1	1	14	14
5	<p>Steel Almirah 4'6" x 1'6" x 2'6" with 4 shelves</p>	1	1	14	14
6	<p>White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic</p>	1	1	14	14

	Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.				
7	Steel Bucket Medium	2	1	14	28

Chemistry Lab Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one Physics Lab Room	No. of Room	Total No. of Schools	Total No. of required for Physics Lab Room
1	Laboratory Room Desk: Dimension of Desk: 2.6 x 6 x 2 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	15	1	1	15
2	Laboratory Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	15	1	1	15
3	Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	3	1	1	3
4	Teacher's chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work.	3	1	1	3

	Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.				
5	Steel Bucket Medium	10	1	1	10
6	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated. This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	5	1	1	5
7	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	3	1	1	3

Biology Lab Room					
Sl. No	Description of Furniture Item with Technical Detail/Specifications	Quantity/ of Furniture for one Physics Lab Room	No. of Room	Total No. of Schools	Total No. of required for Physics Lab Room
1	Laboratory Room Desk: Dimension of Desk: 2.6 x 6 x 2 ft. Material: Desk should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	18	1	3	54
2	Laboratory Room Bench: Dimension of Bench: 1.6 x 6 x 1.1 ft. Material: Bench should be made from the 'A' Grade quality wood. Finishing: Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	18	1	3	54
3	Teacher's Table: Dimension: 3'x2'x2'6" Material: Table should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	3	1	3	9

4	Teacher's chair: Dimension of chair: Height of Back Support measuring from ground: 3' Height of seat: 1'6" Dimension of seat: 1'7"x1'3" Material: Chair should be made from the 'A' Grade quality wood. Finishing : Applying ready mixed priming coat pink primer of approved quality on wood work. Burnishing two more coats with superior copal burnish of approved quality i/c sizing on new work.	3	1	3	9
5	Steel Bucket Medium	10	1	3	30
6	White Board, 5 Duster & Marker pen (one Dazon): Dimension: Width – 6 ft., Height – 4 ft. White Board Type – Non Magnetic Melamine Surface The surface of this whiteboard should be made using high quality melamine which ensures smooth writing experience and easy cleaning. High Pressure Laminate Coated. This whiteboard should be coated with high pressure laminate that helps to write effortlessly and clean comfortably.	1	1	3	3
7	Steel Almira 4'6" x 1'6" x 2'6" with 4 shelves	4	1	3	12

1. FOR/installation of the above items is at respective school.
2. The supplier has to manage pre-delivery inspection as per directions of the State Project Director, Samagra Shiksha, Manipur. In case of any material found not as per specifications, the same would be rejected & no claim would be accepted by Samagra Shiksha, Manipur for any loss incurred to the supplier. The supplier has to replace the sub-standard material within ten days of written notice from the Authority as per the approved specification for no extra cost. No liability shall be accepted by Stat Project Director in the regard.
3. The installation at the schools could be inspected, by the specific directions of State Project Director, by any state/central government authorities or any other agency. The charges of such inspection shall be borne by the supplier.
4. The successful bidder shall not sub-let the supply order or the part of it, to any other supplier.
5. In case of any dispute regarding specifications, the decision of the State Project Director shall be final.
6. The supplier shall organize to transport, store and secure equipment during the process of establishment of the system at his/her own cost with no liability to the State and the school.
7. The list of the Schools to be supplied is enclosed as Annexure-A:

8. The supplier shall develop and maintain an inventory and the document shall form a part of the completion report to be submitted. A copy of this inventory will be available with the school at all times and shall be made available for scrutiny as and when called for.
9. The supplier and the school shall undertake to jointly inspect, test and certify successful implementation at each stage of the process.
10. The supplier shall submit a completion report to the State, duly certified by concerned official.

Inspection:

- a) SPD or his duly authorized representative shall at all reasonable time have access to the bidders' premises and shall have the power to inspect and examine the quality and workmanship of the goods to be supplied. A pre-delivery inspection shall also be carried out before the dispatch to respected schools.
- b) The bidder shall furnish complete address of the premises of his office, godown and workshop where inspection can be made, together with name and address of the person who is to be contacted for this purpose.
- c) Supplies, when received shall be subject to inspection to ensure whether they conform to the specifications. Where it is necessary and the supplies will be accepted only where the articles conform to the standard of prescribed specifications as a result of such observation/ verification.
- d) The Contractor shall inspect the School premises and draw up a plan of action and time schedule for the preparation of the school premises, in consultation with the school.
- e) The Inspection and the consequent plan of action, shall include all issues (for transport of equipment, etc.), civil works, electrical works, and security.

Payment Terms

- a) 30% mobilization advance may be release to the firm with the submission of Bank Guarantee of equal amount.
- a) Proportionate payment may be made after completion of installation of Solar panel at the respective schools and certified by concerned school head teacher/teacher/official.
- c) The liquidated damages (if any) shall be deducted as per the terms and conditions as mentioned in the agreement.
- d) GST/ Service Tax/ Applicable levies shall be deducted as per the relevant Act/ Laws/ Rules, if applicable.
- e) 5% Security Deposit will be refunded after thirty days of successful completion of the work.

Supply & Installation of Furniture Items

Supply & Installation of Furniture Items at the given Secondary schools and Elementary Schools shall be done, as per the prescribed schedule.

If he fails to execute the project as per approved specification, within specified time frame, the liquidity damages shall be recovered from his bill. In case of any delay due to reasons beyond control of the supplier, he is advised to inform the State Project Director promptly, in writing, explaining the reasons & seek the extension. Such request would be made before the due date of supply only. The State Project Director reserves the right to accept or reject the request with/without liquidity damages.

Tentative supply schedule:

Duration

6 Months from the date of receiving work order

Chapter- 5

General Terms and Conditions

1. Earnest Money

- a. The bidder shall furnish, with the Technical Bid, an earnest money amounting to Rs. 25,66,032/- (Rupees twenty five lakhs sixty six thousand and thirty two) only in the form of Bank Draft/Bank Guarantee/ Bankers Cheque/ pay order drawn in favour of “ **State Project Director, Samagra Shiksha, Manipur**” payable at Imphal.
- b. Such negotiable instrument should be valid for a period of six months (180 days) from the date of submission of Bid.
- c. The Earnest Money may be forfeited on account of one or more of the following reasons:
 - The bidder withdraws his bid during the period of bid validity specified by him on the bid letter form.
 - Bidder does not respond to SPD/Samagra Shiksha or the Zonal Education Office / Zonal Co-ordinator Samagra Shiksha, MANIPUR requests for clarification of his bid.
 - Bidder fails to co-operate during the bid evaluation process, and
 - In case of a successful bidder, the said bidder fails:
 - (a) to sign the agreement in given time; or
 - (b) to furnish Security Deposit of specified amount.

2. Bidding Process

a. Bid Submission

- The bids shall be submitted in two **envelopes**, i.e.
 - I. **Envelope - A (Technical bid)**: It should contain the EMD of specified amount along with all documents **except financial bid**.
 - III. **Envelope – B (Financial bid)**: The financial bid should be submitted in prescribed proforma.
- All the two envelopes must be sealed properly & put up in an outer envelope which should also be sealed. All the envelopes may be addressed to State Project Director, Samagra Shiksha,

Manipur. The envelopes should be marked with number i.e. A/B & "Bid for Supply & Installation of Solar Panel" should be written in the upper right corner.

- The bid shall be submitted in one copy only.
- The bid shall be typed or written in indelible ink and shall be signed by the bidder or a person duly authorized to sign the contract/agreement. **The person or persons signing the bid shall initial all pages of the bid & submit the signed bid document along with Technical Bid in envelop 'A' as a token of acceptance of all terms and conditions contained in the bid document.**
- The last date for submission of bid is as per time schedule advertised or as amended.

b. Validity of Bids

- Bids shall remain valid for 180 days from the date of Bid opening. A bid valid for a shorter period shall be rejected as non-responsive. The validity of bids may be extended with mutual consent of State Project Director & the bidder.

c. Prices MUST NOT be indicated in the Technical Bid and must be quoted in the Financial Bid only.

d. Financial Bid

- i. Financial Bid should only indicate prices without any conditions or qualification whatsoever. Taxes such as GST, Income Tax, service tax, duties, fees, levies etc., levied by Central & State Government/Government Bodies, as may be applicable in relation to supply of the goods should be all inclusive. Rates quoted should be inclusive of all applicable taxes.
- ii. Bidders should express the price of their product in Indian currency only.

e. Date & Time of Opening of Technical Bid

- i. The Technical bids will be opened by TEC, in the presence of bidders who wish to be present, as per the time schedule advertised.
- ii. The technical bids shall be evaluated as per the eligibility criteria, given in chapter 3 of this bid document. The bidders who fulfill **the entire criterion** shall be declared qualified for opening of financial bids.

3. Cost of Preparation of Bids

- i. The bidder shall be solely responsible for the cost of preparing and submitting the bid and all other related costs.

4. Bidder to acquaint himself fully

- i. The bidder is advised to assess at his own level the quantum of work & related expenditure of supply, delivery and installment of solar panel at the concerned school and satisfy himself before quoting his bid.
- ii. The bidder shall be deemed to have fully acquainted with the specification of **Supply & Installation of Furniture Items** at the given Secondary schools and Elementary Schools and carefully examined the special conditions, and shall be deemed to have been fully informed regarding the local conditions, factors and various prevailing laws at the time being. The Bidder should, therefore plan his schedule of work properly so as to complete the supply within stipulated time limit. State Project Director, Samgra Shiksha, Manipur will not be liable for any loss or damage sustained by the bidder due to any reason whatsoever.

5. Liquidity Damages (LD)

- i. In the event of failure to **Supply & Installation of Furniture Items** at the given Secondary schools and Elementary Schools as per conditions of this document, the State Project Director reserves the option to recover liquidated damages (LD) which would be recovered from the supplier in the following manner:

S.No.	Delay Limit	LD to be recovered
1.	Delay up to 1 month of the supply period	2.5% of the order value (Minimum)
2.	Delay more than 1 month and upto 3 months of the supply period	5% of the order value
3.	Delay above 2 months up to 3 months of the supply period.	7.5% of the order value
4.	Delay above 3 months of the supply period	10% of the of the order value (Maximum)

In case of any condition beyond the control of supplier, the supplier should request the State Project Director to extend the time limit. This request shall be entertained before the due date of supply only. The State Project Director reserves the right to extend the supply period with/without LD or to reject the application on insufficient grounds.

6. Rejection of bid.

The bids which do not fulfill any of the conditions or the notified requirements, directions & guidelines laid down by the State Government/State Project Director, shall be considered incomplete and are liable to be rejected without assigning any reason thereof.

7. Alternative Proposals by Bidders

Bidders shall submit bid, which comply with the documents, including the basic requirements as indicated in the bid documents. Alternative bids shall not be considered. The attention of bidders is drawn to the provisions that one bidder shall submit only one bid, either individually or as partner in any of the organization failing which both or all such bids shall be rejected.

8. Disqualification

State Project Director in its sole discretion and at any time during the processing of bidding may disqualify any bidder from the bid process, if the bidder has:

- Submitted the bid after the scheduled date and time.
- Firms not meeting eligibility criteria.
- Made misleading or false representations in the forms, statements and attachments submitted in proof of the eligibility requirements.
- If found to have record of poor performance such as abandoning works, not properly completing the contract, inordinately delaying completion, being involved in litigation or financial failures, etc.
- Submitted bid which is not accompanied by required documents and Earnest Money Deposit (EMD) or is non-responsive.
- Failed to provide clarifications related thereto, when sought.
- Submitted more than one bid. This will cause disqualification of all bids submitted by such applicants.
- Bidders, who are found to canvass, influence or attempt to influence in any manner the qualification of selection process, including without limitation, by offering bribes or other illegal gratification shall be disqualified from the process at any stage.
- A bid not valid for at least 180 days shall be considered as non-responsive and would be disqualified.

9. Security Deposit (SD)

- Successful Bidder shall carry out the supply in conformity with generally accepted professional and technically accepted norms relevant to such assignments that are required for Supply & installation of solar panel of approved specifications and which are to the entire satisfaction of the State Project Director.
- In the event of any deficiency in supply, the Successful Bidder shall promptly take necessary action to resolve it, at no additional price.
- Successful bidder will have to execute an agreement on a Non-Judicial Stamp (to be purchased from the state of Manipur only) of appropriate value within a period of 7 days of receipt of order and deposit security deposit which shall be 5% of the contract value, prior to signing of agreement. The cost of the stamp paper shall be borne by the bidder.
- The earnest money deposited at the time of submission of tender may be adjusted towards Security Deposit amount or alternatively the bidder, taking the EMD back, may deposit a fresh SD.
- The form of Security Deposit Money shall be as below:
 - Bank Draft/Bank Guarantee/ Bankers Cheque duly discharged in favour of State Project Director, Samagra Shiksha, Manipur.
 - Post-office Saving Bank Pass Book duly pledged in favor of State Project Director, Samagra Shiksha, Manipur.
 - National Savings Certificate, Defence Savings Certificates, Kisan Vikas Patras or any other script/instrument under National Saving Scheme for promotion of small savings, if the same can be pledged in favour of State Project Director, Samagra Shiksha, Manipur. These certificates shall be accepted at their face value.
- The SD money shall be refunded after expiry of contract period/extended period provided there is no breach of contract on the part of contractor.
- The purchaser will pay no interest on the EMD & Security Deposit.
- Failure of the Successful Bidder to comply with the requirements shall constitute sufficient grounds for the annulment of the award and forfeiture of the SD.

10. Forfeiture of Security Deposit

Security Deposit amount in full or part may be forfeited in the following cases:

- i. When the terms and conditions of contract is breached by the supplier.
- ii. When the bidder fails to make complete supply satisfactorily.
- iii. Notice of reasonable time will be given in case of forfeiture of security deposit. The decision of State Project Director shall be final, in this regard.
- iv. Failure of the successful bidder to comply with the requirement of the contract shall constitute sufficient grounds, to award the contract to the next lowest evaluated bidder or call for new bids.

11. General Conditions

- **GST, Income Tax, Service Tax Registration and filing documents:** No bidder shall participate in the bid process without registration under the provisions of relevant Act and produces registration and clearance certificate/ returns, with the technical Bid (Envelope 'A'). Certificates from the competent authority for clearance of Excise Duty as per **Annexure -II** shall be enclosed with technical bid, failing which his bid may be liable for rejection.
- In the support of information regarding Net worth & turn over, the certificates from CA are to be attached otherwise the same would not be considered. The audited statements of last three financial years are also to be submitted with technical bid.
- Tender forms shall be filled in ink or typed. No tender filled in pencil shall be considered. The bidder shall sign the tender form at each page and at the end, in token of acceptance of all the terms and conditions of the tender. **The signed tender document is to be submitted with technical bid.**
- Rates shall be written both in words and figures. There should not be errors and/or over writings. Corrections, if any, should be made clearly and initialed with dates. The element of the VAT and Central Sales Tax should be indicated separately.
- Bidder shall quote firm prices of solar panel and its component in the price bid. No conditional discounts shall be quoted in the bid e.g. discounts based on conditions linked with bid/security Deposit/guarantees, advance payments, selection of combination of products or product options etc. Financial bids with such conditional clauses may be rejected.

- **Comparison of Rates:** Financial bids of all the Technically Qualified Bidder shall be evaluated. State Project Director reserves the right to award the contract to the firm quoting lowest rate or other than lowest rate at its sole discretion without assigning the reason thereof.
- **Arbitration:** If any dispute arises out of the contract with regard to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred to by the bidder to the Secretary/ Commissioner, Education (S), Government of Manipur who will be the Sole Arbitrator and whose decision shall be binding on both the parties.
- **TDS: GST/ Income Tax/ Service Tax/ applicable levies** shall be deducted at source, if applicable.
- **Jurisdiction:** All legal proceedings, if necessary, arises to be instituted by any of the parties (State Project Director or Contractor) shall have to be lodged in the courts situated in Imphal city only and not elsewhere.
- **Loss of Revenue to the Purchaser :** The bidder shall be vicariously liable to indemnify the purchaser in case of any misuse of data/ information by the bidder, deliberate or otherwise, which comes into the knowledge of State Project Director during the performance or duration of the contract and thereafter.
- **Changed orders:** The State Project Director may at any time, by a written order given to the successful bidder, may change in the quantity/quality of solar panel & its components. If any such change causes an increase or decrease in the cost of, or the time required for, affects bidder's performance of any part of the work under the contract, whether changed or not changed by the order, an equitable adjustment shall be made in the security deposit, contract price or delivery schedule, or both, and the contract shall accordingly be amended. Any claims by the bidder for adjustment under this clause must be asserted within fifteen (15) days from the date of the bidder's receipt of the State Project Director's changed order.
- **Contract Amendments:** No variation in or modification in the terms of the Contract shall be made except by written amendment signed by both the parties i.e. State Project Director & the bidder.
- **Purchaser Right to Accept any bid and to reject any or all bids:** The purchaser reserves the right to accept any bid, and to annul the tender process and reject all bids at any time prior to award of contract, without assigning reasons & without thereby incurring any liability to the affected bidder or bidders or any obligation to inform the affected bidder or bidders of the grounds or the Purchasers action.

- **Notification of award:** Prior to the expiry of the period of the bid validity, the purchaser will notify the successful bidder in writing that its bid has been accepted. The notification of award will constitute the formation of contract.

Upon the successful bidder's furnishing of Security Deposit, State Project Director, will notify each unsuccessful bidder and will discharge its EMD.

- **Period of Validity:** Bids shall remain valid for 180 days from the last date of bid submission prescribed by the State Project Director which may be extended with mutual consent. State Project Director may reject a bid valid for a shorter period as non-responsive.
- **Period of Contract:** The period of the contract shall be one years from the date of signing of contract extendable, with mutual consent, up to two years.
- **Force Majeure:**
 - a) Notwithstanding the provisions of contract, the bidder shall not be liable for forfeiture of its Security Deposit, or termination for default, if any to the extent that, its delay in performance or other failure to perform its obligations under the contract is the result of an event of Force Majeure.
 - b) For the purposes of this clauses, "Force Majeure" means an event beyond the control of the bidder and not involving the bidder's fault or negligence and not foreseeable. Such events may include but are not restricted to acts of the purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
 - c) If a Force Majeure situation arises, the bidder shall promptly notify the State Project Director in writing of such conditions and the cause thereof. Unless otherwise directed by the purchaser in writing, the bidder shall continue to perform its obligations under the contract as far as is reasonably practical and shall seek all measures, prevented by the force majeure event.
 - d) The purchaser may terminate this contract, by giving a written notice of minimum 30 days to the bidder being unable to supply the said goods.
- **Termination for insolvency:** The purchaser may at any time terminate the contract by giving written notice to the bidder, without compensation to the bidder, if the bidder becomes bankrupt or otherwise insolvent provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

- **Termination for Convenience:** The purchaser may, by written notice to the bidder, may terminate the contract, in whole or in part at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of work under the contract is terminated and the date upon which such termination becomes effective.
- The contractor shall not assign or sub-let his contract or any substantial part thereof to any other agency/party.
- If a bidder imposes conditions, which are in addition to or in conflict with the conditions mentioned herein, his tenders shall be liable to be rejected. In any case, none of such conditions will be deemed to have been accepted unless specifically mentioned in the letter of acceptance of tender issued by the State Project Director.
- The State Project Director reserves the right to accept any tender not necessarily the lowest, reject any tender without assigning any reasons and accept tender for all or anyone or more of the articles for which bidder has been given or distribute items to more than one firms.
- Any of the Financial Terms & Conditions not covered in this bid document shall be governed as per the provisions of rules prescribed by the Government of Manipur.
- The validity of tender and its execution will be subject to expected fund release of central share by the Ministry of Education, Government of India & state share by Government of Manipur for the budget outlay approved by Project Approval Board (PAB) for the year 2022-23 under SAMAGRA SHIKSHA, MANIPUR for the state of Manipur. SPD SAMAGRA SHIKSHA, MANIPUR reserves the right to modified the volume of supply and any other terms and condition at any stage of tender process/Execution thereof and supplier /bidder shall abide by such modification.

13. The bidder should sign and seal, each and every page of bid document. If the bidder fails to do so, his bid shall not be considered for.

(Signature & Seal of the Bidder)

CHAPTER 6
TECHNICAL BID

I. Addressed to:

a.	Name & Address of the Tendering Authority	State Project Director, Samagra Shiksha, State Implementation Society, Manipur
b.	Telephone	0385 - 2445393
c.	Fax	0385 - 2445393
d.	website	https://manipureducation.gov.in

II. NIT Reference : -----dated -----

III. Other related details:

1.	Name of Bidder Firm	
2.	Name of Contact Person	
3	Telephone Number(s)	
4	Registered Office Address	
5	Year of Establishment /Year of GST Registration	
6	Type of Firm Put Tick (✓) mark	Public Limited
		Partnership Firm
		Private Limited
		Other (give details)
7	Email Address	
8	Website	
9	Fax No.	
10	Mobile Number of Contact Person	
13	Any other relevant information	

IV. Details of major supplies carried out (to be supported by certificates fulfilling the eligibility criteria):

S. No.	Description (supplied to & year)	Quantity (KW)	Amount
1			
2			
3			

Details of Net Worth & Turn Over:

Year	2019-20	2020-21	2021-22
Turn Over			
Net Worth	Rs..... (as on)		

In the support of above information the certificates from CA are attached with the bid document. We understand that in absence of the above certificate our bid would not be considered.

V. The Tender fee amounting to Rs. 10,000/- (Rupees Ten Thousand only) has been deposited vide Demand Draft /Bankers Cheque/Cash No. _____ dated _____. Name of Bank- _____ in favour of State Project Director, Samagra Shiksha, Manipur payable at Imphal only

VI. The rates quoted are valid for 180 days from the last date of submission of bid. The validity can be extended with mutual consent.

VII. We agree to abide by all the conditions mentioned in this Tender Notice/ documents issued by the Tendering Authority and also the further conditions of the said Tender Notice given in the attached sheets (all the pages of which have been signed by us in token of acceptance of the terms mentioned therein).

VIII. Reproduced/ reworded - processed formats or tenderer's own formats for the price quotations will disqualify the tender.

IX. GST/Tax filling documents.

Sl. No.	Type of Tax	Whether supporting documents enclosed (Yes/ No)	Certificate No.
1	GST Certificate		
2	Income Tax		
3	Others.		

- X. We accept payment & delivery schedule as per details given in the tender document.
- XI. Technical bid duly filled and signed is enclosed with this tender form along with signed Terms and Conditions in token of acceptance.
- XII. The audited accounts of the bidder for last three years i.e. 2019-20, 2020-21, 2021-22 are being attached with the bid document.
- XIII. All papers submitted have been signed and sealed (along with annexure and enclosures)
- XIV. The undertaking on Rs.50/- or above denomination Non Judicial Stamp paper that that all the information, documents furnished herewith are true, correct and complete to the best of our knowledge and belief. Nothing has been concealed having material impact in this regard. We (our concern) have never been blacklisted by a Govt. department/ organization or held guilty by any competent authority. We know that our bid can be rejected at any stage during the course of acceptance or even after final acceptance at our risk and cost if any of the above information is found false or for breach of any of the conditions.
- XVI. The tender document duly signed by the authorized signatory of bidder, is being submitted with technical bid in token of acceptance of all the terms & conditions of this bid document.

Date:

Place :

Name, Sign & Seal of the Bidder

Chapter-7

Pro forma for Financial Bid

With respect to the NIT dated, followed by submission of our bid dated -----
-, after studying given specifications & all other conditions of the bid document,
read with clarifications/ corrigendum, we hereby submit our financial proposals for
the items listed under scope of work as details below:

A Elementary			
Sl. No.	Component	Phy	Total Furniture Cost (in Rs)
1	Additional Classroom	31	
2	Upgradation of Primary to Upper Primary School (3 Classrooms)	10	
3	Dilapidated Upper Primary School (3 Classrooms)	16	
4	New Primary School (5 Classrooms)	6	
5	Buildingless Primary School (5 Classrooms)	14	
6	Dilapidated Primary School (5 Classrooms)	18	
7	NSCBAV Residential Hostel (100 Bedded)	2	
B Secondary			
1	Upgraded Schools (Secondary) (Class IX - X)	4	
2	Upgraded Higher Secondary School - Science & Arts Subject (XI - XII)	2	
3	Upgraded Higher Secondary School - Science & Commerce Subject (XI - XII)	2	
4	Computer Room	11	
5	Library Room	19	
6	Science Lab	13	
7	Art/Craft Room	12	
8	Additional Classroom	17	
9	Chemistry Lab	1	
10	Biology Lab	3	
Grand Total			

Notes:

- Financial Bid should only indicate prices without any condition or qualification whatsoever.
- Total price should be inclusive all taxes & all other charges.
- Bidders should express the price of their product in Indian currency only.

Date :

Place :

1. PRIMARY & UPPER PRIMARY SCHOOLS (ELEMENTARY)

List of Netaji SubhashChandra Bose AvasiyaVidyalaya for Residential School Building (Elementary)					
Residential Hostel (Capacity-100) 2022-23					
Sr. No	Name of District	Name of Block	Name of School where hostels are to be located	UDISE Code	Category of District
1	KAMJONG	KASOM	Kasom Khullen High School	14150503101	Border Area
2	PHERZAWL	TIPAIMUKH	Pherzawl Govt. High School	14120500701	Border Area

Additional Class room-Elementary Additional Class Room-Elementary-31				
S.No	district_name	block_name	school_name	udise_sch_code
1	BISHNUPUR	BISHNUPUR	THAMNAPOKPI NARANSEINA JUNIOR HIGH SCHOOL	14040102101
2	BISHNUPUR	BISHNUPUR	WAHENGKHUMAN UPPER PRIMARY SCHOOL	14040102708
3	BISHNUPUR	BISHNUPUR	NINGTHOUKHONG MAMANG JUNIOR HIGH SCHOOL	14040107302
4	BISHNUPUR	MOIRANG	POMBIKHOK PRIMARY SCHOOL	14040200102
5	BISHNUPUR	MOIRANG	BORAYANGBI UPPER PRIMARY SCHOOL	14040200202
6	BISHNUPUR	MOIRANG	THANGALAWAI PRIMARY SCHOOL	14040201102
7	BISHNUPUR	MOIRANG	KEIRENPABI JR.HIGH SCHOOL	14040201103
8	BISHNUPUR	MOIRANG	CHANDPUR PRIMARY SCHOOL	14040201202
9	CHURACHANDPUR	CHURACHANDPUR	N. MUOLHOI JBS	14030100308
10	CHURACHANDPUR	CHURACHANDPUR	NEW LAMKA UPS	14030109901
11	CHURACHANDPUR	CHURACHANDPUR	GAMNOMPхай JBS (ADC)	14030205302
12	CHURACHANDPUR	HENGLEP	NAJANG JBS (ADC)	14030600201
13	CHURACHANDPUR	HENGLEP	BOLKOT JBS	14030604401

14	CHURACHANDPUR	HENGLEP	ZOUNOI JBS (ADC)	14030613901
15	CHURACHANDPUR	SAMULAMLAN	NEW DAMPI VILLAGE PRIMARY SCHOOL	14030201902
16	CHURACHANDPUR	SAMULAMLAN	BUNGLON UPS (GOVT)	14030208101
17	CHURACHANDPUR	SAMULAMLAN	KEIRAP KHULLEN JBS (ADC)	14030209001
18	IMPHAL EAST	IRILBUNG	ARAPTI PRIMARY SCHOOL	14070202802
19	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	ITAM KHUNOU P/S	14070102505
20	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	LOUSHANGKHONG P.S	14070103701
21	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	AWANG NGAIRANGBAM P/S	14070108301
22	IMPHAL WEST	HAORANG	THANGTEK JR. H.S.	14060204002
23	IMPHAL WEST	HAORANG	PHUMLOU UPPER PRIMARY SCHOOL	14060207401
24	IMPHAL WEST	HAORANG	LOITANG KHUNOU P.S.	14060207701
25	IMPHAL WEST	IMC	LAIJINGNINGTHOU JUNIOR HIGH SCHOOL	14060100104
26	IMPHAL WEST	IMC	KAKHULONG JUNIOR HIGH SCHOOL	14060101302
27	JIRIBAM	JIRIBAM	CHAMPANAGAR P/S	14130302802
28	JIRIBAM	JIRIBAM	JATRAPUR P/S	14130305201
29	KANGPOKPI	SAITU	S. LHANDNOM UJB SCHOOL	14100217101
30	TAMENGLONG	TOUSEM	KHEDAGAR KHASI PS	14020201801
31	TENGNOUNPAL	TENGNOUNPAL	T.BONGMOL UPPER PRIMARY SCHOOL	14110206001

Buildingless –Primary -14

S.No	district_name	block_name	school_name	udise_sch_code
1	CHURACHANDPUR	HENGLEP	KOKODAN DAHLON PRIMARY SCHOOL	14030612101
2	IMPHAL EAST	IRILBUNG	PHUNAL KHUNOU PRIMARY SCHOOL	14070203108
3	IMPHAL EAST	IRILBUNG	ANDRO SANTHEL P/S	14070205206
4	IMPHAL EAST	IRILBUNG	MOIRANGPUREL AWANG LEIKAI P/S	14070205307
5	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	MAIRENPAT P/S	14070106003
6	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	PUKHAO SANTIPUR PRIMARY SCHOOL	14070106403
7	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	KOUPAK GORKHA P/S	14070110701
8	KANGPOKPI	SAIKUL	OLD BOLJANG PRIMARY SCHOOL	14100309901
9	KANGPOKPI	SAIKUL	PHAIKON PRIMARY	14100316002

			SCHOOL	
10	KANGPOKPI	SAIKUL	GAMPUM PRIMARY SCHOOL	14100317401
11	KANGPOKPI	SAITU	WAPANG SONGJANG PRIMARY SCHOOL	14100206501
12	PHERZAWL	THANLON	PHAIKHOLUM PRIMARY SCHOOL	14120401902
13	PHERZAWL	THANLON	TALLIAN PRIMARY SCHOOL	14120404602
14	NONEY	NUNGBA	KANGBENGPANG PS	14160402502

Dilapited Building (Primary) Dilapited Building (Primary) -18				
S.NO	district_name	block_name	school_name	udise_sch_code
1	SENAPATI	TADUBI	CHAKUMAI UJB SCHOOL	14010510301
2	CHURACHANDPUR	CHURACHANDPUR	MONGBUNG JBS	14030116301
3	BISHNUPUR	MOIRANG	CHINGYANG PRIMARY SCHOOL	14040201209
4	THOUBAL	THOUBAL	KIYAM SIPHAI PRIMARY SCHOOL	14050100901
5	THOUBAL	THOUBAL	HEININGSOI PRIMARY SCHOOL	14050104801
6	THOUBAL	THOUBAL	WANGBAL PRIMARY SCHOOL	14050109601
7	THOUBAL	THOUBAL	MAIBAM KONJIL PRIMARY SCHOOL	14050112002
8	THOUBAL	THOUBAL	LANGTHABAL KHUNOU PRIMARY SCHOOL	14050112601
9	IMPHAL WEST	HAORANG	KANGMONG MAISNAM P.S.	14060203704
10	UKHRUL	CHINGAI	NUNGBI KL PS	14080201901
11	UKHRUL	UKHRUL	CHAMPHUNG P/S	14080104301
12	UKHRUL	UKHRUL	HUINING ARA PS	14080108108
13	KANGPOKPI	SAIKUL	LAIKOT KOM UJB SCHOOL	14100302501
14	KANGPOKPI	SAIKUL	SIMOL KUKI UJB SCHOOL	14100302601
15	KANGPOKPI	SAITU	KHOLEP UJB SCHOOL	14100217201
16	KAMJONG	KAMJONG	NAMPISHA PS	14150400801
17	NONEY	NUNGBA	TAMLOK PS	14160408001
18	NONEY	NUNGBA	NUNGTEK PS	14160410301

Dilapidated Building (Upper Primary) - 16				
S.No	district_name	block_name	school_name	udise_sch_code
1	BISHNUPUR	MOIRANG	NGANGKHALAWAI UPPER PRIMARY SCHOOL	14040201701
2	CHANDEL	CHAKPIKARONG	MOLPHEI UPPER PRIMARY SCHOOL	14090421901
3	CHURACHANDPUR	CHURACHANDPUR	LEISANG GOVT. JR. H/S	14030107101
4	CHURACHANDPUR	CHURACHANDPUR	MATALAMBULANE GOVT. JR. H/S	14030111401
5	IMPHAL EAST	IRILBUNG	MADAN MOHON JUNIOR HIGH SCHOOL	14070200601
6	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	ANGOM LAWAI UPPER P/S	14070100301
7	IMPHAL WEST	HAORANG	KHAIDEM UPS	14060204801
8	IMPHAL WEST	WANGOI	LANGTHABAL NAMBUL MAPAL JUNIOR HIGH SCHOOL	14060303902
9	IMPHAL WEST	WANGOI	HAOREIBI JUNIOR HIGH SCHOOL	14060309601
10	KAKCHING	KAKCHING	IRENGBAND UPPER PRIMARY SCHOOL	14140200101
11	KAKCHING	KAKCHING	KAKCHING LOUMI UPPER PRIMARY SCHOOL	14140201603
12	KAKCHING	KAKCHING	TANGJENG UPPER PRIMARY SCHOOL	14140203801
13	SENAPATI	PAOMATA	CHINGMAI KHUNOU UPPER PRIMARY SCHOOL	14010407501
14	THOUBAL	THOUBAL	SINGA BISHNUNAHA UPPER PRIMARY SCHOOL	14050101907
15	THOUBAL	THOUBAL	KHONGDOUBI UPPER PRIMARY SCHOOL	14050104902
16	THOUBAL	THOUBAL	IRONG CHESSABA UPPER PRIMARY SCHOOL	14050111902

2. SCHOOL LIST FOR SECONDARY & HR. SEC. SCHOOL

Additional Class Room-Secondary-31				
S.No	district name	block name	school name	udise_sch_code
1.	BISHNUPUR	BISHNUPUR	GOKUL HIGH SCHOOL	14040101501
2.	BISHNUPUR	BISHNUPUR	LEIMAPOKPAM PUBLIC HIGH SCHOOL	14040102803
3.	CHURACHANDPUR	CHURACHANDPUR	TUIBUANG GOVT. H/S	14030100301
4.	IMPHAL EAST	IRILBUNG	K.G.B.V.	14070205204
5.	IMPHAL WEST	HAORANG	S.K. IDEAL H. SCHOOL	14060206201
6.	JIRIBAM	JIRIBAM	LALPANI H/S	14130304701
7.	KAKCHING	KAKCHING	KAKCHING KHUNOU HIGH SCHOOL.	14140205601
8.	KANGPOKPI	SAIKUL	KASTURBA GANDHI BALIKA VIDYALAYA	14100308902
9.	SENAPATI	TADUBI	RESIDENTIAL SCHOOL	14010501805
10.	TAMENGLONG	TAMENGLONG	MODEL VILL. HIGH SCHOOL	14020104503
11.	TENGNOUNPAL	MACHI	RESIDENTIAL SCHOOL HEINOUKHONG	14110105002
12.	THOUBAL	THOUBAL	MOIJING HIGH SCHOOL	14050103907
13.	THOUBAL	THOUBAL	PHUNDREI HIGH SCHOOL	14050104301
14.	THOUBAL	THOUBAL	LALITAMADHOP SHARMA HIGH SCHOOL	14050104601
15.	THOUBAL	THOUBAL	HEIROK II HIGH SCHOOL	14050108601

16.	THOUBAL	THOUBAL	RESIDENTIAL SCHOOL	14050111406
17.	THOUBAL	THOUBAL	KASTURBA GANDHI BALIKA VIDYALAYA	14050114002
18.	BISHNUPUR	MOIRANG	MOIRANG MULTIPURPOSE HIGHER SECONDARY SCHOOL	14040202303
19	IMPHAL EAST	IRILBUNG	LAMLONG HR. SEC. SCHOOL	14070204805
20	IMPHAL EAST	IRILBUNG	AZAD HIGHER SEC.SCHOOL	14070205901
21	IMPHAL WEST	IMC	IBOTONSANA GIRLS HIGHER SEC SCHOOL	14060100811
22	IMPHAL WEST	IMC	TAMPHASANA GIRLS HIGHER SECONDARY SCHOOL	14060101312
23	IMPHAL WEST	IMC	JOHNSTONE HIGHER SECONDARY SCHOOL	14060101313
24	IMPHAL WEST	WANGOI	WANGOI HIGHER SECONDARY SCHOOL	14060307002
25	IMPHAL WEST	WANGOI	BENGOON HIGHER SECONDARY SCHOOL	14060311101
26	JIRIBAM	JIRIBAM	BOROBEKRA HIGHER SEC.SCHOOL	14130305101
27	KAKCHING	KAKCHING	WABAGAI HIGH SCHOOL	14140201907
28	THOUBAL	THOUBAL	HEIROK HIGHER SECONDARY SCHOOL	14050106407
29	THOUBAL	THOUBAL	LAMDING HIGHER SECONDARY SCHOOL	14050109401
30	THOUBAL	THOUBAL	SANGAIYUMPHAM HIGHER SECONDARY SCHOOL	14050114303
31	UKHRUL	CHINGAI	JESSAMI HR. SECONDARY SCHOOL	14080202501

Computer Room-11

S.no	district_name	block_name	school_name	udise_sch_code
1.	SENAPATI	TADUBI	RESIDENTIAL SCHOOL	14010501805
2.	CHURACHANDPUR	CHURACHANDPUR	TUIBUANG GOVT. H/S	14030100301
3.	CHURACHANDPUR	CHURACHANDPUR	RESIDENTIAL SCHOOL	14030109915
4.	BISHNUPUR	BISHNUPUR	GOKUL HIGH SCHOOL	14040101501

5.	THOUBAL	THOUBAL	ABDUL ALI HIGH MADRASSA	14050110102
6.	IMPHAL WEST	IMC	SINGJAMEI CHINGAMAKHA H.S.	14060102004
7.	IMPHAL WEST	WANGOI	KASTURBA GANDHI BALIKA VIDYALAYA	14060311309
8.	UKHRUL	UKHRUL	SHANGSHAK RESIDENTIAL SCHOOL	14080101805
9.	KANGPOKPI	SAIKUL	THANGTONG HIGHER SECONDARY SCHOOL	14100313201
10.	TENGNOUNPAL	MACHI	RESIDENTIAL SCHOOL HEINOUKHONG	14110105002
11.	NONEY	NUNGBA	NONEY ASHRAM SCHOOL	14160407810

Library Room -21				
S.no	district_name	block_name	school_name	udise_sch_code
1.	SENAPATI	TADUBI	RESIDENTIAL SCHOOL	14010501805
2.	TAMENGLONG	TAMEI	MAKUI HIGH SCHOOL	14020302902
3.	CHURACHANDPUR	CHURACHANDPUR	TUIBUANG GOVT. H/S	14030100301
4.	CHURACHANDPUR	CHURACHANDPUR	RESIDENTIAL SCHOOL	14030109915
5.	CHURACHANDPUR	CHURACHANDPUR	CHURACHANDPUR GOVT. H/S	14030110101
6.	BISHNUPUR	BISHNUPUR	BISHNUPUR HIGH SCHOOL	14040100701
7.	BISHNUPUR	BISHNUPUR	GOKUL HIGH SCHOOL	14040101501
8.	BISHNUPUR	MOIRANG	KWAKTA HIGH SCHOOL	14040204401
9.	THOUBAL	THOUBAL	TENTHA HIGH SCHOOL	14050104905
10.	THOUBAL	THOUBAL	RESIDENTIAL SCHOOL	14050111406
11.	THOUBAL	THOUBAL	KASTURBA GANDHI BALIKA VIDYALAYA	14050114002
12.	IMPHAL WEST	HAORANG	S.K. IDEAL H. SCHOOL	14060206201
13.	IMPHAL WEST	HAORANG	DEAF AND MUTE SCHOOL	14060200310
14.	IMPHAL WEST	WANGOI	KASTURBA GANDHI BALIKA VIDYALAYA	14060311309
15.	IMPHAL EAST	IRILBUNG	MINUTHONG FAIZA HIGH MADRASSA	14070204702
	IMPHAL EAST	IRILBUNG	K.G.B.V.	14070205204

16.				
17.	UKHRUL	UKHRUL	SHANGSHAK RESIDENTIAL SCHOOL	14080101805
18.	KANGPOKPI	SAIKUL	KASTURBA GANDHI BALIKA VIDYALAYA	14100308902
19.	TENGNOUNPAL	MACHI	RESIDENTIAL SCHOOL HEINOUKHONG	14110105002
20	IMPHAL WEST	HAORANG	NILAPADAMA HR. SEC.SCHOOL	14060208301
21	NONEY	NUNGBA	MODEL RESIDENTIAL SCHOOL	14160400303

Science Lab-14				
S.no	district_name	block_name	school_name	udise_sch_code
1.	SENAPATI	TADUBI	RESIDENTIAL SCHOOL	14010501805
2.	TAMENGLONG	TAMEI	MAKUI HIGH SCHOOL	14020302902
3.	CHURACHANDP UR	CHURACHANDP UR	TUIBUANG GOVT. H/S	14030100301
4.	CHURACHANDP UR	CHURACHANDP UR	RESIDENTIAL SCHOOL	14030109915
5.	BISHNUPUR	BISHNUPUR	BISHNUPUR HIGH SCHOOL	14040100701
6.	BISHNUPUR	MOIRANG	KWAKTA HIGH SCHOOL	14040204401
7.	THOUBAL	THOUBAL	TENTHA HIGH SCHOOL	14050104905
8.	THOUBAL	THOUBAL	RESIDENTIAL SCHOOL	14050111406
9.	THOUBAL	THOUBAL	KASTURBA GANDHI BALIKA VIDYALAYA	14050114002
10.	IMPHAL WEST	WANGOI	KASTURBA GANDHI BALIKA VIDYALAYA	14060311309

11.	IMPHAL EAST	IRILBUNG	K.G.B.V.	14070205204
12.	UKHRUL	UKHRUL	SHANGSHAK RESIDENTIAL SCHOOL	14080101805
13.	TENGNOUNPAL	MACHI	RESIDENTIAL SCHOOL HEINOUKHONG	14110105002
14	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	RESIDENTIAL SCHOOL	14070101403

Art/Craft Room -14				
S.no	district_name	block_name	school_name	udise_sch_code
1.	SENAPATI	TADUBI	RESIDENTIAL SCHOOL	14010501805
2.	TAMENGLONG	TOUSEM	MAGULONG HIGH SCHOOL	14020203501
3.	CHURACHANDP UR	CHURACHANDP UR	TUIBUANG GOVT. H/S	14030100301
4.	CHURACHANDP UR	CHURACHANDP UR	RESIDENTIAL SCHOOL	14030109915
5.	BISHNUPUR	BISHNUPUR	GOKUL HIGH SCHOOL	14040101501
6.	BISHNUPUR	MOIRANG	KASTURBA GANDHI BALIKA VIDYALAYA- THAMNAPOKPI	14040201604
7.	BISHNUPUR	MOIRANG	KWAKTA HIGH SCHOOL	14040204401
8.	IMPHAL WEST	WANGOI	KASTURBA GANDHI BALIKA VIDYALAYA	14060311309
9.	IMPHAL EAST	IRILBUNG	K.G.B.V.	14070205204
10.	UKHRUL	UKHRUL	SHANGSHAK RESIDENTIAL SCHOOL	14080101805
11.	TENGNOUNPAL	MACHI	RESIDENTIAL SCHOOL HEINOUKHONG	14110105002

12.	NONEY	NUNGBA	NONEY ASHRAM SCHOOL	14160407810
13	TAMENGLONG	TAMEI	LANGMEI HR.SEC.SCHOOL	14020300101
14	NONEY	NUNGBA	MODEL RESIDENTIAL SCHOOL	14160400303

Biology Lab -3

S.No.	district_name	block_name	school_name	udise_sch_code
1	IMPHAL EAST	SAWOMBUNG IMPHAL EAST- I	SAGOLMANG H/S	14070106702
2	KANGPOKPI	SAIKUL	THANGTONG HIGHER SECONDARY SCHOOL	14100313201
3	PHERZAWL	TIPAIMUKH	PARBUNG HIGH SCHOOL	14120501701

Chemistry Lab -1

S.NO	district_name	block_name	school_name	udise_sch_code
1	IMPHAL WEST	HAORANG	NILAPADAMA HR. SEC.SCHOOL	14060208301